JNCLASSIFIED DD DD T

1ed Services Technical Information Hgency


Reproduced by DOCUMENT SERVICE CENTER KNOTT BUILDING, DAYTON, 2, 0 HIO

nis document is the property of the United States Government. It is furnished for the duck of the contract and shall be returned when no longer required, or upon recall by ASTIA following address: Armed Services Technical Information Agency, ment Service Center, Knoti Building, Dayton 2, Ohio.

WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA OF FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED AMENT PROCUREMENT OPERATION, THE U.S. GOVERNMENT THEREBY INCURS PONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE MENT MAY HAVE FORMULATED, FURNIS ED, OR IN ANY WAY SUPPLIED THE AWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY ATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE, SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

INCLASSIFIED

030+03000



ARMY MEDICAL RESEARCH LABORATORY


FORT KNGX, KENTUCKY

REPORT NO. 225 7 March 1956



COMBINED ENVIRONMENTAL STRESSES AND MANUAL DEXTERITY

*Subtask under Psychophysiological Studies, AMRL Project No. 6-95-20-001, Subtask, Climatic Effects on Psychophysiological Abilities.



RESEARCH AND DEVELOPMENT DIVISION OFFICE OF THE SURGEON GENERAL DEPARTMENT OF THE ARMY

20050204050

Dest Area to to Com.

REPORT NO. 225

From Project No. /-95-20-001

COMBINED ENVIRONMENTAL STRESSES AND MANUAL DEXTERITY

bу

Edwin G. Aiken

fran

Psychology Lepartment

3ubmitted

7 December 1955

18 pp & ii

3 illus.

Abstract;

Environmental extremes of noise, illumination and temperature were found to depress significantly the motor skills involved in a simulated line maintenance task. Individual prediction for speed and accuracy of performance under stress is poor.

AD-89 327

Attached are changes and additions to the V.1. Titled Publications of the ..rmy Medical Research Lab sent you 12 May 55

	frey Medical Research Lab, Fort Knox, Ky.	UNCLASSIFIED	Army Medical Research Lab, Fort Knox, Kv.	UNCLASSIFILD
	I CMBINED ENVIRONMENTAL STRESSES AND I FANUAL DEXTERITY - ECNIR G. Albert	1. Combined Stresses	COMBINED ENVIRONMENTAL STRESSES AND	1. Combined Streskes
-		4. Manual Desierity	MANUAL DESTERITY - Edwin G. Aiken.	2. Manual Dexterity
	11 - 3 illus - 9 tables . Project No. 6-		Report Mc. 225, 7 December 1955 - 18 pp & if - 3 illus - 9 tables - Project No. 6-	3. Maintenance
	Environmental extremes of noise, illusi-		S5-20-001, Unclassified Report.	,
	Bitton and temperature were found to de-		Bation and temperature were found to de-	
	pess significantly the notor skills in-		press significantly the motor skills in-	
	volved in a simulated line maintenance		volved in a simulated line saintenance	
	task. Individual presition for speed	-	task. Individual presidition for speed	
	and contracy of perference under stress		Gud accuracy of Derforme under stress	
-				
	Arry Medical Research Lab. Fort Knoz. Ky.	UNCLASSIFIED	Army Medical Research Lair Fort Knox, Ky.	UNCLASSIFIED
	COMMINED ENVIRONMENTAL STRESS, AND	1. Combined Stresses !	COMBINED ENVIRONMENTAL STRESS S AND	1. Combined Stresses
	May at DENTERITY - Edwin G. Aiken.	2. Manual Dexterity	MANUAL DENTERITY - Edwin G. Aiken.	2. Manual Dexterity
	Report No. 225. 7 December 1955 - 18 pp &	d. Maiatesason	Report No. 225, 7 December 1955 - 18 pp 6	3. Maintenance
	95-20-001, Unclassified Report.		is - 3 illus - 9 tables - Project No. 6- 95-20-001, Unclassified Report.	
-	Environmental extremes or moise, illusi-		Environmental extremes of naise, illumi-	
	nat. on and temperature sere found to de-	- -	nation and temperature were found to de-	
	press significantly the autor skills in-		press significantly the notor skills in-	
	Wouved in a simulated line maintenance		yelved in a simulated line naintenance	
	task. Individual prediction for speed		task. Individual prediction for speed	
	and accuracy of performance under stress		and accuracy of performance under stress	
-			te poor.	
•				

REPORT NO. 225

COMBINED ENVIRONMENTAL STRESSES AND MANUAL DEXTERITY*

bу

Edwin G. Aiken

from

Psychology Department
ARMY MEDICAL RESEARCH LABORATORY
FORT KNOX, KENTUCKY
7 March 1956

*Subtask under Psychophysiological Studies, AMRL Project No. 6-95-20-001, Subtask, Climatic Effects on Psychophysiological Abilities.

Report No. 225
Project No. 6-95-20-001
Subtask AMRL S-4
MEDEA

ADSTRACT

COMBINED ENVIRONMENTAL STRESSES AND MANUAL DEXTERITY

OBJECT

Much of the field maintenance work performed by Army personnel is done under conditions of environmental stress. The sources of these stresses are viried and the precise tasks numerous. The purpose of this research was to develop a task representative of the field maintenance problem and then investigate the effects of 3 stress sources on efficiency at this task.

RESULTS

A test-retest reliability measure indicated that the task used was a highly reliable measure of mechanical dexterity. Mechanical dexterity was significantly depressed by stresses of low temperature, intense sound and low illumination. The effects of temperature and noise stresses on kinesthetic judgment (muscular control) were significant and appeared to be cumulative; while low illumination had no apparent influence on kinesthetic judgment and the detrimental effects remained constant.

CONCLUSIONS

A reliable measure of motor skills can be obtained with a task which closely simulates line maintenance conditions. A number of representative environmental stresses act to depress both speed and accuracy. Length of exposure, is vell as intensity, is an inportant determinant of behavior changes under stress.

RECOMMENDATIONS

That provisions be made for systematically relieving workers who are exposed to stresses such as extremes of noise, temperature and illumination.

Research should be extended on combined stresses to include more extensive sampling of stress values and less gross measurements of stress effects. Attempts should be made to develop means for alleviating "generalized" stress reactions.

Submitted 7 December 1953 by:

Edwin G. Aiken, 1st Lt, MSC

APPROVED:

RAY/G DAGGS

Director of Research

APPROVED

WILLIAM W. CO

Lt Colonel, MC Commanding

COMBINED ENVIRONMENTAL STRESSES AND MANUAL DEXTERITY

I. INTRODUCTION

The sources of physical discomfort to the line maintenance worker are numerous. When extreme, these stresses interfere with efficient performance of the maintenance tasks. It is important to know something about the characteristics of the reactions that can be expected to these stresses, particularly in the combinations most frequently encount and. Questions of stress interaction and cumulation arise in this regard. Actually very little, if any, data are to be found on the effect of combined stresses on the types of motor skills that are typically used in maintenance.

The literature pertaining to the effects of environmental stresses upon human motor behavior has been contributed largely by those who are interested in the effects of climatic factors (1 through 16). Ambient cold and heat act directly on the hands of the human operator and should be expected, therefore, to bear a close relationship to manual performance and dexterity. Low temperatures almost universally act to reduce efficiency, provided the measures are sensitive enough and the temperature departures extreme. The high temperature range data are less clear cut.

There is little doubt that some sort of psychological stress reaction accompanies the effect of direct cold upon the hands and body and this generalized internal discomfort is here postulated to arise from any extreme form of environmental stimulation. If it is reasonable to assume that at least part of the effect of cold stress comes from internal stress reactions that are independent of its direct influence upon hand movement dexterity, then by submitting a subject to stresses not directly related to the performance, a test for the existence of a generalized internal stress effect can be made. For example, there is no direct physical relationship between the effect of high noise exposure and manual dexterity, so that if an effect is shown it must be attributed to some internal debilitating stress reaction. Likewise, if the illumination provided overa work area is reduced to an amount that will permit adequate visual discriminations, but low enough to be annoying, another source of general internal stress not directly related to the performance task is created. The additional use of the temperature variable in a single experimental setting would permit a rough comparison of these generalized stress inducers with a stress source directly related to motor efficiency. The present experiment was designed to shed light on these issues.

II. EXPERIMENTAL

A. Subjects

Forty male army personnel from a variety of Fort Knox units, including a few personnel from this laboratory, were used as subjects. Due to the very fundamental character of the task, no major selection criteria were required. Subjects were assigned randomly to the 8 experimental conditions.

B. Apparatus and Methods

Training and post-test sessions took place in a room that was connected to the air-conditioning and heating plant, lighted by overhead flourescent bulbs and free of unnecessary noise. It made a suitable stress-free, "neutral" environment. Test sessions took place in the experimental cold room.

The task is one involving a variety of motor skills ranging from gross muscular behavior to fine kinesthetic adjustments. At the first training trial, the subject was given a general picture of the purpose of the study, shown the tools available to him and told to go through the task step by step with the help of the examiner. He was assured that the first trial was a demonstration only and that no timing was involved.

The task began with the removal of the 4 cotter pins which had been run through the large belts on the top plate. A pair of long-nosed pliers was supplied for this purpose. Next, the 4 large and 4 medium sized bolts were removed with a large crescent wrench and the top cover lifted off. Because the large bolts were welded to the inder side of the plate it was unnecessary to grip them from below in order to remove the nuts.

The next part of the task (Fig 1) involved removing the middle plate. The 4 medium sized and smaller nuts and bolts were removed by raising the trap door at the middle of the plate and reaching under to hold the bolt while turning the nuts with the smaller crescent wrench. Removal of the middle plate exposed the floor plate. A total of 7 numbered tasks confronted the subject at this point. First, he small metal covering plate in the middle of the base plate was taken away by removing the 4 screws with the Phillips screwdriver provided. This exposed to the subject a metal rule with 2 marks on it. The task was

to pull the spring-mounted pointers to the point where each was above one of the markings and fix them there with a set screw and out. Next, the subject had to make a micrometer measurement at the tips of 2 posts. He was not required to read his own setting. He simply set the micrometer and passed it to the experimenter who recorded the setting. Next, the subject turned a knob through a prescribed arc and attempted to set it at a point which bi-sected that arc. The mechanical construction of one of these knobs is shown in Figure 1. There were 2 other micrometer measurements and 2 other arc bi-sections facing the subject on the base plate before the first phase of the task was completed, The micrometer tasks and arc bi-sections were employed to bring tactual and kinesthetic processes, respectively, into the situation. In all there were 3 micrometer settings - narrow, medium and wide and 3 arc bi-sections - 50°, 100° and 200°. The order in which these tasks were to be done was shown in the numbering on the base plate beside each task.

It should be noted that although the micrometer measurements were retained throughout the experiment, the tendency of subjects to collide with them while working at the task kept them out of a constant adjustment so that the data from them was not used in the analysis. However, the fundamental idea behind this task seems to be a good one and it will be used in subsequent work, but with protective guards around the posts to prevent the problems that arose here. By employing highly uniform knob structures and painting the base plate the same color as the knobs, the use of visual cues for successive settings of the knobs was made impractical, so that muscular sensations had to be relied upon. This data was retained.

The re-assembly of the equipment was quite straightforward. The subject removed the set screws from the spring-mounted pointers, pushed them aside and replaced the small covering plate over the scale. He then replaced the 8 nuts and bolts, holding the middle shelf in position, wired the trap door closed, and then replaced the 8 nuts on the top shelf, putting new cotter pissis place. The presence of an experimenter during all trials assured that nut replacement met the criterion of finger tightness. This completed the total task.

Very few restrictions were placed on the manner in which the subject went about the task. The structure of the apparatus and the available tools made the mode of attack from subject to subject highly similar.

Before the test sessions began for a subject, his auditory threshold for the tank noise was obtained by attenuating the signal 100 db and adjusting the sound intensity at the pre-amplifier controls to the point where it was just perceived by the subject. Then by removing specified amounts of noise attenuation, it was possible to deliver tank engine noises at known amounts above threshold. The 2 intensities used in this investigation were 80 and 100 db above threshold.

G Experimental Design

Because one of the research interests in this study concerned the combined and interactive effects of different stress types, an analysis of variance was considered the best design for the problem. In terms of test conditions, there were 8 Experimental groups--3 variables, each varied in 2 ways. This produced a 2 x 2 x 2 design as shown in Table 1.

For any particular stress or interaction comparison, a total of 40 subjects was available, 20 in each group.

The post-test trial in the neutral environment produced a measure of the effect of the test trials on learning and a reference score for comparing performance in various stress conditions with performance in a neutral environment.

III. RESULTS AND DISCUSSION

To determine the reliability of the measuring instrument, a Pearson correlation coefficient was computed between the total task time on the second and third trials of the test. The reliability coefficient was thus of the test-retest type and yielded a value of +. 97. This is exceedingly high and it may be concluded that the measuring task used had a light overall reliability.

Some indication that the various experimental conditions were matched was needed. This is formation was obtained by means of an overall analysis of variance of these data. The average total time for the 3 training trials was chosen as the most representative score for this purpose. The findings of this analysis are shown in Tables 2 and 3.

The F ratio is lacking in significance. This establishes the initial performance equality of the various groups prior to testing, so that any differences which may arise under the experimental conditions of the test trials can be attributed to the stress variables and not to any sort of sampling bias.

The most representative score, average total time during the test trials, was used for the basic analysis of the variables. Tables 4 and 5 present the results.

The effect of the stressed upon performance is shown in the analysis. The temperature, noise and illumination stresses all acted to reduce performance in a very significant degree when considered individually. There were no significant interactions, however, which is to say that the individual stresses set:d independently of one another in affecting the manual dexterity of the subjects.

Having established the existence of rather strong effects on the speed of motor behavior from 3 different sources of environmental stress, a question arose as to whether these variables would also show an effect on the accuracy of the responses. The experimental set-up permitted 2 measures of motor accuracy. One was in terms of the micrometer measurements and the other the dial bi-sections. As mentioned previously, interference with the placement of the micrometer posts made reliable measurements at those points impossible. However, the dial bi-sections worked quite well. Since visual cues in this task were reduced to a minimum, the settings were taken to reflect kinesthetically guided motor accuracy. For the purpose of analysis, the 3 settings of the 3 dials during the training trials were compared with the 3 settings of the 3 dials during the test conditions. This comprised 9 measurements per subject under each of the 2 conditions. As a measure of dial setting reliability, the range of the 9 settings during the 3 training trials versus the range of the 9 settings during the test trials was employed. The privise tests used were chi squares. The number of subjects in the high and in the low stress conditions on each variable were compared as to the number in each group showing an increase in variability from training period to test period. A separate chi square was run for each of the experimental variables with the result shown in Tables 6. 7 and 8.

From these data it is clear that the level of task illumination did not influence the reliability of the dial settings. This isn't amazing considering the fact that the dial setting task rested on kinesthetic and not visual information. However, the chi square values for both the noise and temperature variables are significant, so that an effect from experimental variations of these 2 variables on this skill is indicated. The exact interpretation of these effects is ambiguous, since the significant chi square values resulted not only from the decreased reliability under the high stress levels, but also from the increased reliability under the low stress levels. It is at least a plausible hypothesis

that the low stress levels of noise and temperature had no effect upon this kinesthetic skill. The decreased variability is probably attributable to an improved performance with practice. The decreased reliability of dial setting under high noise and temperature stress could be interpreted as arising from a decremental influence which was sufficiently great to impede the natural course of improvement with practice and produce instead a decreased reliability of dial setting during the test trials.

A further analysis of the effect of the stresses on performance variability was made in terms of the time scores. For this purpose variability in the total time on the third test trial was compared with the variability in the total time for the post-test. This involved a difference test between scores made by the same subjects so a test for the difference between correlated standard deviations was made. Only the subjects in the highest stress level on each variable were used for the separate tests so as to maximize any difference found. The results are shown in Table 9.

These results may be interpreted as indicating that all 3 sources of stress, after a sufficient period of time, serve to increase the variability in subject speed. Individual differences in manual dexterity thus may be relatively unimportant if the task attempted is a simple one performed under relaxed conditions. If, however, stressful situations are anticipated, selection must be done more carefully, since any differences can be expected to become exaggerated as the spread of performance increases.

The question arises as to the relationship between speed and accuracy on this task. For this purpose, a Pearson coefficient was computed between the range of dial settings and the average total time on the test trials. The obtained r was \$.273 which with 38 degrees of freedom (d.f.) produced a P value slightly short of the .05 level. Thus, there is a low but stable relationship between the speed and accuracy of performance. The relatively low value obtained is most likely attributable to the slight tendency for very slow subjects to make more careful adjustments and for very sleedy subjects to carry their set for speed over to the accuracy tasks. In any event, individual prediction from speed to accuracy of performance under stress is poor.

The total performance curve is of some interest in indicating the character of the task used. Figure 2 shows a plot of the average total time scores for all groups on the 7 breakdowns and re-assemblies of the equipment. Trials 1, 2 and 3 were training trials; 4, 5 and 6 the

trials show an almost linear increase in skill at this task. The next 3 trials show another linear decline in total time required, but not at as great a rate. The fact that the post-test score is only slightly lower than the third training trial implies that a good deal of the decline in total task time during the test trials is attributable to an adaptation to the stressful conditions. It is likely that performance speed on this task is roughly at maximum by the fourth or fifth trial and almost surely so by the seventh trial. The observation of importance is that this task combined a representative degree of maintenance task simulation with a rapid tearning rate--a good combination for a manual dexterity task.

One final analysis appeared to be of interest. It concerned the cumulative effect of the stresses. The problem of obtaining a meaningful measure of this effect was solved by means of a ratio score. Specifically, 5 time measurements were taken at various convenient points during the total dis-assembly--re-assembly sequence. By computing t ratios for correlated means for the difference between the third test trial time scores and the corresponding post-test measurements, it was possible to express the degree of difference between the test and post-test performance at a series of points throughout the task with an index which took into account the increasing variance at each of the points. To obtain meaningful points along the baseline for each of the arbitrary task points, the average elapse of time during the third trial to the point of each comparison was used. Three curves were plotted in this fashion, one for each of the maximum levels of the 3 stress variables. The graph obtained is shown in Figure 3.

Consider first the temperature stress curve, which shows the least ambiguous pattern. The 6 ratios rise steadily from the early part of the task to the end, indicating that the action of the temperature variable is cumulative. However, the slope of the curve is much less from the third point on than over the first 3 points, suggesting that an upper limit is being reached.

The noise stress curve is complicated by the inversion at the second measurement point. Otherwise, the cumulative-leveling effect seen in the temperature variable is reported here. Whether the inversion is a significant one is unknown, but it might be interpreted as an immediate adaptation to the noise, which gives way later to the prolonged irritations and stresses of unescapable, high-level noise.

The illumination variable, it is interesting to note, shows a very high stress effect immediately and then falls off to a slightly lower

level and remains relatively constant. This is understandable in terms of visual light adaptation between the first and second measurements. Apparently, little cumulative scress can be expected from reduced illumination of the level used here, though it will produce rather intense decrements at a constant level.

An examination of the probability levels of the various t's entering into these 3 curves shows that they do not reach the .05 level of confidence until the third point of measurement on the noise variable, while on the illumination and temperature variables they are in excess of this value throughout the task. The line at t=2.093 indicates the .05 level for the graphed t values.

The significance of most of the data of this study has been discussed. One point, however, needs elaboration. This is the fact that sources of stress not physically relevant to manual dexterity were shown to affect its efficiency. This is the case with illumination stress to some degree, but is clearest with regard to the stress resulting from the tank engine noise. It would be reasonable to assume that sources of stress which directly affect the body surfaces of the subject will influence motor skills. Low temperature is an example of such a physically relevant source of stress. That this factor acts to decrease manual skills is not very surprising and, in fact, has frequently been empirically demonstrated to do so. However, continuous high-level noise, and to a lesser extent, moderately reduced illumination are not related to motor efficiency in any direct fashion. There are no clear reasons why they should be expected to influence dexterity. However, it is clear from the data presented here that their influences are relatively strong--illumination stress produced more decrements than the more physically relevant cold variable and noise stress approximated that of temperature. This implies that the effect of any environmental extreme is to produce an intervening stress state whose effect is sufficiently generalized to affect negatively a wide variety of behaviors. In fact, it appears that a useful distinction can be made between generalized and specific stress in all research of this type. All specific stresses apparently produce, in addition to specialized effects on certain sensory-me or systems, a more pervasive tension state which acts to produce an overall reduction in behavioral efficiency. The action of this generalized atress state can be equal or greater than the more focalized stress of directly relevant annoyances. This fact should be given greater attention by those investigating environmental stresses. It is possible that the major cause of inefficiency resides in generalized psychological tensions and that the means for alleviating these stresses are quite different from the means for alleviating the

specialized influences of environmental pressures. A systematic study of the locus and extent of generalized tension states appears to be appropriate. It is at least a possibility that men may be able to withstand much higher levels of specific discomforts, if their generalized tension level is low.

IV. CONCLUSIONS

A reliable measure of motor skills can be obtained within a task which closely simulates line maintenance conditions.

A number of representative environmental stresses act to depress both the speed and accuracy of these skills.

Length of exposure, as well as intensity, are important determinants of behavior changes under stress.

V. RECOMMENDATIONS

When designing stress protection devices for line maintenance functions, it is necessary to consider sources of stress other than those most apparently involved in the work. In this investigation it was shown that the psychological stress arising from prolonged exposure to high level engine noise can act to produce impairment in gross mechanical skills. Thus, if high level noise exposure, poor illumination or cold exposure are unavoidable in such work, provision should be made for systematically relieving the workers. The necessity for such stress relief periods increases as exposure time mounts.

Research should be extended on combined stresses to include more extensive sampling of stress values and less gross measurements of stress effect, e.g. perceptual efficiency, vigilance, etc.

Attempts should be made to develop means for alleviating "generalized" stress reactions.

VI. BIBLIOGRAPHY

- l. Bartlett, D. J., and D. G. C. Gronow. Manual dexterity and tactile sensitivity in the cold. R. A. F. Instit. of Aviation Med., F. P. R. C. Report No. 806, 1952.
- 2. Bartlett, D. J., and D. G. C. Gronow. The effects of heat stress on mental performance. R. A. F. Instit. of Aviation Med., F. P. R. C. Report No. 846, 1953.

- 3. Blair, E. A., and C. W. Gottschalk. Efficiency of signal corps operators in extreme cold. U. S. Army Med. Res. Lab. Proj. No. 57-2, p. 17, 1947.
- 4. Bursill, A. E. Some research on the effects of hot working conditions on human performance. Rept. Nat. Coal Bd. Psychol. Panel, 1954.
- 5. Bursill, A. E. Some experiments on the restriction of the visual field in hot and humid conditions. Rept. Nat. Coal Ed. Psychol. Panel, 1954.
- 6. Craik, K. J. W., and S. J. MacPherson. Effects of cold upon hand movements and reaction times. M. P. R. C. Report No. 43/196/, 1943.
- 7. Forlano, G., J. E. Barmach and J. D. Coakley. The effect of ambient and body temperature upon reaction time. O.N.R. Special Devices Center, Rpt. No. 151-1-13, Mar. 1948.
- Horvath, S. M., and A. Freedman. The influence of cold upon the efficiency of man. J. Avaition Med., 18: 158-164, 1947.
- 9. Mackworth, N. H. Effects of heat on wireless telegraphy operators hearing and recording Morse messages. Brit. J. Indust. Med., 3: 143-158, 1946.
- 10. Mackworth, N. H. Researches on the measurement of human performance. London: HMS Stationery Cirice, 1950.
- Mackworth, N. H. Finger numbress in very cold winds. J. Appl. Physiol., 5: 533-543, 1953.
- McCleary, R. A. Psychophysiological effects of cold: I. The role of skin-temperature a d s insory sensitivity in manual performance lecrement. U.S. A.F. Sch. of Aviation Med., Proj. No. 21-1202-0004, Rpt. No. 1, 1953.
- 13. Pepler, R. D. The effect of commutic factors on the performance of skilled tasks by young European men living in the tropics. A report on the first two year's psychological experiments at Singapore. Rept. to Climatic Efficiency Sub-Committee, R. N. P. R. C., T. R. U. 22/51, 1953.

- 14. Pepler, R. D. The effect of climatic factors on the performance of skilled tasks by young European men living in the tropics. A report on the third year's psychological experiments at Singapore. Rept., Royal Naval Personnel Research Com., APU, 199/53, 1954.
- 15. Russell, R. W. Effects of variations in ambient temperature on certain measures of tracking skill and sensory sensitivity (unpublished report).
- Teichner, W. H., and R. F. Webrkamp. Visual-motor performance as a function of short-duration ambient temperature.
 J. exper. Psychol., 47: 447-450, 1954.

TABLE 1
EXPERIMENTAL CONDITIONS USED DURING STRESS TRIALS

LOW TEMPERATURE			HIGH TEMPERATURE				
LOW IL	LOW ILLUMINATION HIGH ILLUMINATION		HOIH MCITAMIMULLI WOL		HICH ILL	LLUNINATION	
LOW NOTSE	HIGH NOISE	LOW NOISE	HICH NOISE	LOW MOISE	HIGH NOISE	LOW NOISE	HIGH NOISE

TABLE 2
AVERAGE TOTAL TIMES DURING TRAINING CONDITIONS

	CROUP		AVENAGE TOTAL TIME
TEMPERATURE STRESS	NOISE STRESS	ILLUMINATION STRESS	
High	High	High	14.88 min
High	High	Low	15.06 **
High	Low	. High	14.12 "
High	Low	Low	13.60 "
سما	High	High	15.87 "
Lu#	High	Low	12.84
Low	Low	High	12.64
Low	Lov	Low	15.72

TABLE 3

ANALYSIS OF VARIANCE OF THE AVERAGE TOTAL TIME DURING TRAINING FOR THE 8 EXPERIMENTAL CONDITIONS

Source of Variance	Sum of Squares	d.f.	Nean Square	F Ratio
Between Groups	54.23	7	7.75	1.07
Within Groups	23 0. 83	32	7.71	
Total	2 25 . DC	39	ł	

TABLE 4
AVERAGE TOTAL TIMES UNDER TEST CONDITIONS

	GROUP		AVERAGE TOTAL TIME
TEMPERATURE STRESS	HOISE STRESS	IL MINITION STRESS	
High	High	High	21.78 mir
High	High	Low	16.87 "
High	Low	High	17.87 **
High	Low	Lov	13.27 "
Low	High	High	18.53 "
Los	high	Lco	12.52 **
Low Low	low Low	High Low	13.73 T 12.78 T

TABLE 5
ANALYSIS OF VARIANCE OF THE AVERAGE TOTAL TIME DURING THE TEST TRIALS

Source of Variance	Sum of Squares	d.f.	Meau Square	FRatio
Between Temperatures	93.51	1	93.51	9.64**
Between Noise Levels	90.60	1	90.50	9.34**
Between Illuminations	169.66	1	169.66	17.49**
Temperature x Noise	5.54	1	5.54	.57
Temperature x Illumination	3.61	1	3.61	.37
Noise x Illumination	17.93	1	17.53	1.85
Temperature x Noise x	14.50		14.56	1.50
Within Groups	310.58	32	9.70	
Total	705.79	39		

[&]quot; .01 Point or better

TABLE 6
COMPARISON OF THE RANGES OF DIAL SETTING BETWEEN TRAINING AND TEST UNDER 2 TEMPERATURE LEVELS

6	
• (9)•	18
14 (11)*	22
20	40
	- (11)-

TABLE 7

COMPARISON OF THE RANCES OF DIAL SETTING BETWEEN TRAINING AND TEST UNDER 2 NOISE LEVELS

	100 db	80 db	
Subjects Showing Increased Range	14 (9)*	4 (9) '	18
Subjects Showing Decreased Range $x^2 = 10.2$	6 (11)*	16 (11)*	22
d.f. = 1 p < .01	20	20	40

Nusbers in parenthesis indicate the frequency expected from the marginal totals
of the tables.

TABLE 8

COMPARISON OF THE RANGES OF DIAL SETTING BETWEEN TRAINING
AND TEST UNDER 2 ILLUMINATION LEVELS

•	High	Low	
Subjects Showing Increased Range	10 (9) *	8 (9) *	18
Subjects Showing Decreased Range $x^2 = .40$	10 (11)*	12 (11)*	22
d.f. = 1 P. = .54	20	20	40

Mambers in parenthesis indicate the frequency expected from the marginal totals
of the tables.

TABLE 9
COMPARISON OF THE TIME SCORE VARIABILITY
BETWEEN THE THIRD TEST TRIAL AND POST-TEST

Temperature Stress	t = 2.24	P = .04
Neise Stress	t = 2.04	P = .06
Illumination Strees	t = 3.51	7 = <.01




FIG. I INTERIOR OF APPARATUS FROM MIDDLE COVER DOWN





FIG. 2 PREFORMANCE CURVE FOR ALL SUBJECTS THROUGH THE SEVEN TRIALS ON THE APPARATUS



DIFFERENCES BETWEEN THIRD TEST TRIAL AND POST-TEST (T-RATIOS) FOR THE HIGH STRESS CONDITIONS OF TEMPERATURE F16. 3

DISTRIBUTION LIST FOR AMPL REPORTS

Category (A) - All Reports

ARMY	Copies	ARMY	Copies
The Surgeon General Department of the Army	2	Office, CONARC Fort Monrow, Virginia	1
Main Nevy Building Washington 25, D. C. ATTN: Chef, Research & Development Division Director	1	Walter H. Maursund, Jr., Col GS Office of the Army Attache, 3ox 36 U. S. havy 100 Fleet Post Office New York, New York	2
Armed Forces Institute of Pathology Water Reed Army Medical Center Washington 12, D. C.		Commending General Headquarters, QM, R&D Commend QM R&D Center, U. S. Army	3
Amy Library Room 1A 522. The Pentager. Weshington 25, D. C.	1	Natick, Messchusetts Commending Officer	1
ATTN: National Defense Review Headquarters Army Medical Service Graduate School Walter Road Army Medical Center	1	Medical Mutrition Leberatory 9937 TU J. S. Army Fitzsimmens Army Hazpital Denver 7, Celarado	
Washington 12, D. C. Ohief, Human Relations & Research Brench Military Personnel Management Div Office of the Aust Chief of Steff	2	Headquarters 406th Medical General Laboratory APO 500, c/c Postmester San Francisco, California	1
Department of the Army Reem 2C 724, The Pentagen Washington 25, D. C.		Headquarters Camp Detrick Frederick, Meryland ATTN: Technical Library	1
Office Asst Chief of Stoff, G4 Department of the Army The Pentagen Weshington 25, D. C.	1	Scientific Publications & Reports Office OM Food & Container Institute for the Armed Forces	1
ATTN: Research & Development Commanding Officer Chamigal Corps Modical Laboratories	1 .	1819 West Pershing Read Chicago 9, Illinois Research & Development Division	1
Army Chemical Center, Maryland ATTN: Chief, Technical Information Branch Army Environmental Health Lab	1	Office, Quertermaster General Reem 2102, Building "A" Washington 25, D. C.	
Building 1235 Army Chemical Center, Maryland	•	Armed Ferces Stoff Callege Harfelk, Virginia	1
Commendent Marine Corps Schools	1	Library, Quertormaster School Fast Loo, Virginia	1
Quantics, Virginia ATTN: Library & Record Section, MCEC		Medical Field Service School Fort Sam Houston, Yexes	2
,		Library, Army War College Carlisle Barro : t., Pannsylvania	1
NAVY		NAVY	
U. S. Nevel School of Aviation Medicine U. S. Nevel Air Station Pansacola, Flordia	1	Commanding Officer U. S. Nevel Air Dovelopment Center Johnsville, Pennsylvania	1
Commanding Officer Neval Medical Research Institute National Neval Medical Center Zethosde 14, Maryland	1	ATTM: Aviation Modical Accaleration Lab Officer in Charge U. S. Navni Medical Research Lab U. S. Navel Submarine Base	1
Chief, Bureau of Medicine & Surgery Department of the Navy Washington 25, D. C.	1	New London, Connecticut ATTN: Libration Special Asst for Bio Sciences	í
Commanding Officer Novel Modical Field Research Lab Marine Barracks	1	Office of Nevel Respect Openment of the Nevy Weshington 25, D. C.	•
Camp Lajaine, North Carolina		Orficer in Charge Office of Nevol Research Nevy 100, Fleet Prist Office New York, New York	10

Category (A) - Ali Reports - Continued

AIR FORCE	Copies	AIR FORCE	Copies
Commandant USAF School of Aviation Medicine Randolph Air Force Bese Randolph Field, Taxus ATTN: Research Secretariat	1	Department of the Air Force Headquarters USAF Director, Research & Development DCS/D War-hington 25, D. C. ATTN: AFDRO-HF	
Commander Hq Wright Air Cavelopment Center Wright-Patterson Air Force Base, Ohio ATIN: Aero Medical Laboratory (WCRD) Directorate of Research	1	Arctic Aeromedical Laboratory APO 731, c/o Postmaster Seattle, Washington ATTN: Librarian, AAL	1
Director Air University Library Maxwell Air Ferce Base, Alebama	1.	Commander Air Research & Development Cummand ATTN: RDTRM PO 1395 Beitimore 3, Meryland	1
OTHER AGENC'E:		OTHER ACENCIES	
Exchange & Gift Division Library of Congress Weshington 25, D. C.	1	Am vd Services Technical Information Agency Decument Service Center	ś
Director, Armed Forces Medical Library 7th Street & Independence Ave, SW Weshington 25, D. C.	1	Knott Building Dayton 2, Ohio ATTN: DSC-SD32	
ATTN: Acquisitions Division Operations Research Office The Johns Hopkins University	1	Netional Science Foundation 1520 H Street NW Washington, D. C.	1.
7100 Connecticut Ave Chevy Chese, Maryland ATTN: Librarian		Department of Physiology University of Rachester School of Modicine & Dentistry 260 Crittendon Blud	1
National Institutes of Hoolth Division of Research Grants Bothesda 14, Maryland	2	Rachester, New York National Research Council	1
Tropical Research Medical Leb APO 851, New York, New York	1 .	Division of Modical Science 2101 Constitution Ave Weshington, D. C.	
		National Institutes of Hoalth Library, ATTN: Acquisitions Section Bothcode 14, Maryland	1
FOREIGN ADDRESSES		FOREIGN ADDRESSES	
Defense Research Member Canadian Joint Staff (W) 2001 Connecticut Are, NW Weshington 8, D. C.	2	British Nevel & Army Medical Lielson Officer Bureau of Medicine & Surgery Building 4. Room 60 A	2
RCAMC Lieison Officer Surgeon General's Office	2	Building 4, Room 60A 23rd and E Streets Washington, D. C.	1
Department of the Army Reom 2842 Mein Nevy Building Weshington 25, D. C.		Dr. O. G. Edholm Hood, Division of Himan Physiology Modical Research Council Laboratory Holly Hill, Hampstood	•
THRU: The Foreign Service of the United States of America United States Army Lieison Office	1	Holly Hill, Hompstood London, NW 3 England	
American Consulate General Singapore (for clearance and forwarding to:) The Deputy Director of Army Health For East Land Forces Singapore			
MEDICAL LIBRARY		MEDICAL LIBRARY	
Modical College of Alabama Library 620 South 20th Street Birmingham 5, Alabama	1	Medical Center Library Jersey City 4, New Jersey	1
Yelo Univ Medical Library 333 Coder Street		Univ of California Medical Center Library Pamassus and 3rd Avanuas San Frincisco 22, California	ī

Category (A) - All Raports - Continued

MEDICAL LIBRARY	Copins	MEDICAL LIBRARY	
Howard Univ College of Medicine Library 520 W Street, NW Weshington I, D. C.	•	Georgetown Univ Medical & Dental Schools Library 3900 Reservoir Res., NW	Copies
Rush Medical Cellege Library 17:58 West Harrison Street Chicage 12, Illinois	1	Westington 7, D. C. Northwestern Univ Medical School	ı
Indiane Univ Medical Center Library 1100 West Michigan Street Indianapolis 7, Indiana	1 .	Archibald Church Library 303 East Chicago Avenue Chicago 11, Illinois	-
Harvard Univ Medical Library 25 Shattuck Street Baston 15, Massachusetts	1	Univ of Lousiville School of Medicine Library 101 West Chestnut Street Louisville 2, Kontucky	1
Univ of Buffalo Madical School Library 24 High Str_oi Buffalo 3, Yew York	1	University of Yexes Southwest in Modical School Library 5523 Harry Hives Mind	T
Univ of Toxes School of Medicine Library Strand between 9th and 10th Strants Galveston, Toxes	1	Delles 19, Terres Terres Medical Center Library Houston 25, Tages	
Univ of Virginia Alderman Library Exchange Division Charlettesville, Virginia	1	Univ of Utch Medical Library Selt Lake City 1, Utch	1
Columbia Univ Medical Library 630 West 166th Street New York 32, New York	1	Merquerto Univ School of Medicine & Milwaykee Academy of Medicine Library \$41 Horth 15th Street	1
Jefferson Medical College Samuel Persons Seatt Memorial Library 1025 Walnut Street Philodolphia 7, Panneylvania	1	Milwaukee 3, Wisconsin Univ of Okidema School of Medicine Library 801 North East 13th Street	1
Meherry Medical College Library Mashville 8, Tennessee		Oktohome City 4, Oktohome Univ of Pittsburch School of	1
Vendorb-It Univ School of Incidence Library 21st Ava, South and Edgehill Hashville 4, Tennessee	1	Medicine & Dantistry Library 3941 Officer Street Pissburgh 13, Pear sylvanie	

DISTRIBUTION LIST FOR AMPL REPORTS

Category (D)

ARMY		. =	
	Copies	ARMY	Capies
Commanding General Abardeen Proving Ground, Maryland ATTN: Human Engineering Laboratory	1 .	President, Army Finid Forces Beard Nr 4 Fort Bliss, Texas	1
Commending Officer Army Field Forces Human Research Unit Nr 1 The Armored Center Fort Knox, Kentucky	,1	Chief, Army Field Forces Human Research Unit Nr 2 P.O. Rox 446 Fort Ord, Celifornia	1
Guertermester Board Fort wee, Virginia	1	Director Human Resources Resourch Office P.O. Bex 3596	1
President Board Nr 2, OCAFF	1	Weshington 7, D. C. ATTN: Library	
Fort Knex, Kontucky Proxide → Board Nr 3, OCAFF	1	Human Research Unit Nr 3 Office, Chisf of Army Field Forces Fort Denning, Georgie	1
Fort Benning, Georgie		Operations Research Office	1
Commanding Officer Frankford Arsonal Philadelphia 37, Pennsylvania	1	6410 Connecticut Avenue Chevy Chose, Maryland ATTN: The Library	
ATTN: Human Engineering Mission (LC) Ordnance Carps Detroit Arcensi	1	Office, Chief of Ordnesco ATTN: ORDTS-PS, The Postages Weshington 25, D. C.	?
Conter Line, Michigan ATTN: Mr. J. D. Gallomberde XRDMX-E	_	Operations Personnel Research Div Office of Chief, Research & Development Deputy Chief of Stoffs for Plans & Research	1 .
Commendant, Adjutant General's Schnol Office of the School Secretary Fort Benjamin Herrison	1	Room 2C 734, The Pantagon Washington 25, D. C.	•
Indianapolis 16, Indiana Adjutant Gonoral's Office Personnel Research Granch	1	Office of Chief Signal Officer Reem 2E 258, The Pentagon Washington 25, D. C.	1
Department of the Army Weshington 25, D. C.		Commending Officer Transportation Research & Development Station	, 1
President, Army Field Forces Seard Nr 1 Fort Bragg, North Caroline	1	For Evetts, Virginia	
NAVY		NAVY	
Director Novel Research Loberatory Weshington 25, D. C.	1	Director, U. S. Neval Air Experimental Station ATTN: Supr., Acro Medical Equipment	1
Commanding Officer U. S. Navel Medical Research Unit No 1 3ldg T-19, University of California	1	Philadelphia 12, Pannoyivania	
Barkeley 4, California Officer-in-Charge	1	Commender U. S. Nevel Air Test Conter Petrannt River, Maryland	1
U. S. Nevel Personnel Research Field Activity Tempe "T"	·	ATTN: Physiological Test Section of Service Test	
14th & Constitution Ave., NW Weshington 25, D. C.		U. S. Novy Electronics Laboratory ATTN: Hood, Human Factors Division San Diago 52, California	2
Director, Operations Evaluation Group (CP-374) Recus 4D 541, The Pentagon Veshington 25, D. C.	1	Office of Navel Research Psychophysiological Psychology Branch, Code 454 Department of the Navy	1
Psychological Research & Applications Department Department Port Weshington, L. I., New York	1	Weehington 23, D. C.	

Category (D) Continued

AIR FORCE	Copies	AIR FORCE	Copies
Commender Air Force Operational Test Conter ATTN: Technical Reports Branch Elgin Air Force Base, Florida	1	Director Armoment Systems Personnol Research Lobertury Loury Air Force Base, Calerado	1
Commender Lockland Air Force Base San Antonio, Texas	١	Director Besic Pilet Geodfellow Air Force Bese, Texas	1 .
Assistant for Ground Sefety DCS/P^s, Headquarters, USAF Weshington 25, D. C.	1	Human Factors Operations Research Laboratory Air Research and Development	4
APPT Research Center Liaison Officer Deputy Chief of Staff	1	Command, USAF Bolling Air Force Base Washington 25, D. C.	
Operations, Hoodquerters Air Training Command Sant Air Force Base, Illinois *		The Rand Corporation 1700 Main Street Son monica, California ATTN: Nr. Victor M. Hunt	1
INDIVIDUALS		INDIVIDUALS	
Dr. Frenk A. Golderd Posbody Holl University of Virginia Charlottosville, Virginia	1	Dr. William A. Hunt Department of Peychology Northwestern University Evancton, Illinois	1
Dr. William E. Kappauf, Jr. Department of Psychology University of Illinois Urbana, Illinois	1	Dr. Anthony Lenze Inetitate of Industrial Medicine New York University Bollowse Medical Center	1
Dr. Lerrin A. Riggs Department of Psychology Report Majoran Majoran	1	477 First Avenue New York, New York	
Brown University Providence 12, Rhodo Island Dr Effor Stollar Johns Hapkins University	1	Dr. Herold Schlosberg Psychology Laboratory Brown University Providence 12, Rhode Island	1
Psychology Department Bultimore 18, Muryland		Jr. Willard Machie Bose Raten, Florida	1
Dr. Maria Laurence S. S. Krusge Medical Research Bidg University of Michigan Ann Arber, Michigan	1	Dr. Norton Noteer: Institute of Industrial Medicine New York University Bollovus Medical Center 477 First Avenue New York, New York	1
OTHER AGENCIES		OTHER AGENCIES	
Director, Bibliographical Services Proje : Institute for Applied Experimental Psychole North Hell, Tufts College Boston 14, Mesoschusetts	er 1	Department of Psychology University of Rochester Rochester 3, New York	1

Arry Medical Research Lab, Fort Knox. Ky.	UNCLASSIFIED	Army Medical Research Lab. Fort Knox. Ky.	UNCLASSIFIED
COMBINED ENVIRONMENTAL STRESSES AND WANUAL DEXTERITY - Eagin G. Aiben.	1. Combined Strenses	COMBINED ENVIRONMENTAL STRESSES AND	
Report No. 225. 7 December 1955 - 18 pp &	3. Maintenance	MANUAL DEXIENTIT - Edwin G. Aiken. Report No. 225. 7 December 1955 - 18 pp &	2. Manual Dexterity 3. Maintenance
95-20-001, Unclassified Teport		ii - 3 illus - 9 tables - Project No. 6- 95-20-001, Unclassified Report.	·
Environmental extremes of noise, illusi-		Environmental extremes of noise, illusi-	
nation and tel perature were found to de-		nation and temperature were found to du-	
press significantly the motor skills in-		press significantly the motor skills in-	
volved in a simulated line maintenance		volved in a simulated line agintenance	
task. Individual prediction for speed		tank. Individual prediction for speed	
and accuracy of performance under stress		ond accuracy of performance under stress	
ta poor.		ACCC 4	
Arsy Medical Research Lab. Fort Know, Ky.	UNCLASSIFIED	Army Medical Research Lab. Fort Knox, Ky.	UNCLASSIFIED
COMBINED ENVIRONMENTAL STRESSES AND	1. Combined Stresses	COMBINED ENVIRONMENTAL STRESSES AND	1. Combined Stresses
MANUAL DENTERITY - Edwin G. Aiken.	2. Monual Dexterity	MANUAL DEXTERITY - Eawin G. Aiken.	2. Manual Dexterity
Report No. 225, 7 December 1955 - 18 pp &	3. Maintenance	Report No. 225, 7 December 1955 - 18 pp &	3. Kaintenance
it - 3 illus - 9 tables - Project No. 6-	•	ii - 3 illus - 9 tcbles - Project No. 6-	
95-20-001. Unclassified Report.		95-20-001, Unclassified Report.	
Environmental extremes of noise, illumi-		Environmental extremes of noise, illumi-	
nation and temperature were found to de-		nation and temperature were found to de-	
trens significantly the actor skills in-		press significantly the notor skills in-	
volved in a simulated line maintenance	-	volved in a simulated line maintenance	
task, Individual presiction for speed	· -	task. Individual prediction for speed	
and accuracy of performance under etress		and accuracy of performance under stress	

UNCLASSIFIED A COMPANY OF THE PROPERTY OF THE

Armed Services Technical Information Hgency

Reproduced by DOCUMENT SERVICE CENTER KNOTT BUILDING, DAYTON, 2, 0 H10

This document is the property of the United States Government. It is furnished for the duration of the contract and shall be naturned when no longer required, or upon recall by ASTIA to the following address: Armed Services Technical Information Agency, Document Service Center, Knott Building, Dayton 2, Ohio.

NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA TAKE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FU. NISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARD. S BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.

UNCLASSIFIED